

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# EarthWerks, Inc.

2500 Agnes. Corpus Christi, TX, USA

For the following product(s):

## Vinyl Tile:

Accu Clic™, Liberty, Berkley, Rapid Clic™, Regalia

This product meets all of the necessary qualifications to be certified for the following claim:

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Registration # SCS-FS-02951

Valid from: May 1, 2015 to April 30, 2016

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI ACCREDITED PROGRAM  
PRODUCT CERTIFICATION  
#0821



A handwritten signature in blue ink that reads "Robert J. Hrubes".

Robert J. Hrubes, Ph.D., Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA