

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# Mohawk Industries

450 Clarence King Drive, Calhoun, GA, United States

For the following product(s):

See Addendum

This product meets all of the necessary qualifications to be certified for the following claim:

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Registration # SCS-FS-03153

Valid from: September 1, 2015 to August 31, 2016

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



**ANSI ACCREDITED PROGRAM  
PRODUCT CERTIFICATION  
#0821**



A handwritten signature in blue ink that reads "Robert J. Hrubes".

Robert J. Hrubes, Ph.D., Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

## Certification Addendum

# Mohawk Industries

Certification: Registration # SCS-FS-03153 | Valid from: September 1, 2015 to August 31, 2016

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum **FloorScore®**

### Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Products: **Solid Wood Flooring:**

**Century:** Arlington Oak, Bryson, Builders Choice Low Gloss, Builders Choice Satin, Builders Choice Semi Gloss, Cabin Derivatives, Cabot Oak, Corbel Oak, Durham Hickory, Elite Oak, Fairhope Oak, Hampden, Hillcrest Oak 2.25, Hillcrest Oak 3.25, Hillcrest Oak 5", Hinsdale, Yardley Maple

**Columbia:** 3/8" X 3 Oak Special, 5 Solid Timeworn, 5 Solid Weathered, 5" x 3/4" Hickory Natural T&G, Adams Oak, Adams Signature Oak 2.25, Adams Signature Oak 3.25, Adams Signature Oak 5, Amelia Solid, Ashby, Ashlynn 5 New 2014, Beckham, Berkshire Solid, Cabin Derivatives, Chatham Solid, Claremont, Congress Oak, Fairhope Oak, Hampton Forge, Jefferson Maple, Monroe Hickory, Newton Oak, Pembridge Random Width, Silvertown Solid, Thornton Oak, Vale, Washington Oak, Weston

**Mohawk:** 2.25 Oak Classic ES Special, 2.25" x 3/4" Oak Westchester T&G, 3.25 2C Solid Oak Special, 3.25 Hickory Solid, 3.25 IC Solid Oak Special, 3.25 Oak Classic ES Special, 3.25" x 3/4" Hickory Saddle T&G, 3/4" X 3.25" Solid Hickory Special, 3/4" X 3.25" Solid Maple Special, 3/4" X 3.25" Solid Oak Special, 3/4" X 3.25" Walnut Special, 5 Oak Vintage ES Special, Andale, Andale 2 ¼, Andale 3 ¼, Antigo 3 ¼", Antigo 5, Arigato, Ashland, Ashland Special 3.25, Ashton, Atherton Wire Brush, Ayr Mount 3 1/4, Ayr Mount 5, Bamberg 2.25, Bamberg 3.25, Bella Rosa, Bella Rosa 2.25, Bella Rosa 3.25, Belle Meade, Belverde, Belverde 2.25, Belverde 3.25, Benford Oak, Berry Hill, Bloomfield 2 ¼,

## Certification Addendum

# Mohawk Industries

Certification: Registration # SCS-FS-03153 | Valid from: September 1, 2015 to August 31, 2016

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum **FloorScore®**

### Indoor Air Quality Certified to SCS-EC10.3-2014

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Products: Bloomfield 3 ¼, Bloomfield 5, Brandon Oak, Brayton 2 ¼, Brayton 3 ¼, Brayton 5, Brevard 2.25, Cabin Creek, Cabin Derivatives, Campton, Canton Oak, Carson Oak 2.25, Carson Oak 2.25 Special Sell Off, Carson Oak 3.25, Carson Oak 5, Cartwright, Channing, Coleridge Random Width, Concord Oak, Delmarva Exclusive, Delmarva Portico Exclusive, Fairhaven, Ferndale 2.25, Ferndale 3 ¼, Ferndale 5, Freemore 2.25, Freemore 3 ¼, Freemore 5, Fulton, Garrity Oak, Golden Hills Oak, Granite Hills Oak, Hardwood Heights, Hawswar, Hickory Special 5", Hillcrest Oak, Hillsboro, Lancaster Maple, Lancaster Strip Hickory, Lowell Oak 3.25, Maple Ridge, Mayville 2 ¼, Mayville 3 ¼, Mayville 5, Metropolitan Cabin Program, Metropolitan Oak Program, Mohawk pleCasual Wire Brush, Mount Vernon Oak, Mullholland 2 ¼, Mullholland 3 ¼, Mullholland 5, Northaven, Oak Classic ES Special, Oak Special 2.25, Parker, PMSM2, PMSM3, Rivara 2.25, Rivara 3.25, Rivara 5, Rivermont, Rockford, Rockford 2.25, Rockford 3.25, Rockford 5, Rockford Hickory, Rockford Hic SWF LG 2.25, Rockford Hic SWF LG 3.25, Rockford Hic SWF LG 5, Rockford Maple, Rockford Map SWF LG 2.25, Rockford Map SWF LG 3.25, Rockford Map SWF LG 5, Rock Hill, Rockingham, S2375, S2403, Saunders, Sawbridge, Somerville, Southlake, Stoneside, Terrace Hill 2 ¼, Terrace Hill 3 ¼, Terrace Hill 5, Tisdale, Truesdale 3 ¼, Truesdale 5, Twin Hills, Whispering Hills, Wire Brush Solid Oak, Woodbourne, Woodleigh 3.25, Worthington